



Beautifully simple.

LVT that works. Every single time.

In stock & ready when you are.

0.55 mm wear layer.



/.

Think Play Sketch Specif

Get creative with our Room Visualiser

Explore patterns and colours for your next project. amtico.com

Contents

Specify	Spacia	4
Parquets	Wood	8
Stone	Stripping	10
Acoustic E	Enhanced	22
Protection	Laying	36
Patterns	Projects	37
Product A	vailability	38
Packaging		40
		46
		54
		56

If you're looking for a since 1889 collection that's reliably beautiful. One that can feel both contemporary and timeless. That's in stock and ready when you are. And supported by seamless service. A collection that delivers, every single time.

Specify Spacia.





For a floor that's ready when you are. Installed in hours. Fresh for years.

Spacia is always in stock – so it can be ready when you are, and is guaranteed to perform for 10 years.





36 New products 94

Designs for greater choice

 $0.55_{mm}74$

Wear layer

Wood and Stone parquet designs

10



Year warranty

Safety option available*

*Full collection stocked in the UK. Amtico Safety, Acoustic and Safety Acoustic products are made to order. Bestsellers only in mainland Europe. Regional stock details available on request.

For a floor that just works.

Withacombinationofseamlessserviceand a balanced, versatile palette, Spacia is a collection you'll return to again and again.

Specify Spacia.


We offer expert support with a free online supply service for samples.
amtico.com/commercial



For Parquet your way.

Timeless and classic, people come back to parquet again and again. So, our updated Spacia collection has the biggest selection ever of 74 parquet options in two sizes for you to play with. Naturally there's the traditional wood designs. But for a really contemporary vibe, we now have stone parquet options in the subtle new Tones palette (p31) and in Spacia's four elegant marble designs (p29).

Blackened Spa Wood – Small Parquet SP136





Grey Marble – Large Parquet SP146



Small Parquet Available in Wood & Stone Planks & Tiles: 76.2 x 228.6 mm (3 x 9")



Large Parquet Available in Wood & Stone Planks & Tiles: 101.6 x 457.2 mm (4 x 18")



Explore Spacia Parquet options





iced Oak - Large Parquet 3P140







3029 Smoked Timber SS5W2652



Scorched Timb SS5W3024

Cool Woods

🔀 Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

White Ash SS5W2540



Sash Oak SS5W3032



Blackened Spa Wood SS5W3025

Drift Pine SS5W3027













Hampton Oak SS5W3031

Estuary Pine SS5W3028

Neutral Woods

🔀 Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

White Oak SS5W2548





Dusky Walnut SS5W2542













Featured Oak SS5W2533

Golden Woods

🔀 Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

Muted Oak SS5W3312

Eden Oak SS5W1010



Limed Wood Natural SS5W2549



Noble Oak SS5W3030



Muted Oak – Stripwood



Traditional Oak – Stripwood







New England Oak SS5W2527



Rustic Barn Wood SS5W2513 Royal Oak SS5W2530

Warm Woods

🔀 Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

Smoothbark Hickory SS5W2545



Traditional Oak SS5W2514



Black Walnut SS5W2534

Exotic Walnut SS5W2541





Forge Oak – Stripwood

Heritage Oaks

Forge Oak SS5W3317











Our Heritage Oak designs feature a beautifully tactile and realistic surface texture. Using in-register emboss (IRE) technology, the physical grain carefully follows the wood design, resulting in a highly natural, organic finish.

Explore the latest Oak designs in the Spacia collection.







Salvaged Timber

🔀 Available in Large Parquet.

Also available in Boardwalk.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

Salvaged Timber is our interpretation of authentic reclaimed wood, so the colour tones and texture effects have a high degree of variation across individual planks. Please visit the website for more information and product imagery.



Find out more about Spacia Salvaged Timber.









Urban Salvaged Timber SS5W3323





Urban Salvaged Timber – Large Parquet SP142



Plaza Concrete – Uniform Block







Villa Concrete SS5S2612

Linear Stone Shale SS5S3606



Metropolis Ice SS5A2617

Cool Stones

Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.



Gallery Concrete SS5S3071



Mirus Feather SS5A6120



Monument Concrete SS5S3072



Zinc SS5A3620





Kingham Stone – Broken Bond



Ceramic Frost SS5S1591




Stanton Stone SS5S1593



Limestone Cool SS5S1561

Pale Stones For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.

Dry Stone Alba SS5S4401



Mirus Cotton SS5A6110



Kingham Stone SS5S1594



Ceramic Ecru SS5S3592



Ceramic Light SS5S1565



Fairford Stone SS5S1595





Ceramic Sable – Bonded Stone







Ceramic Dark SS5S3566



Mirus Hemp SS5A6130

Neutral Stones For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.



Ste e l SS5A2804



Ceramic Flint SS5S2594



Monmouth Slate SS5S7501



Metropolis Smoke SS5A2627



Ceramic Sable SS5S3593







White Marble SS5S2618



Grey Marble SS5S2619

Marble

🖾 Available in Small and Large Parquet.

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.





Black Marble SS5S2621









Lichen – Bonded Stone






Negroni – Uniform Block, Sea – Uniform Block



Villa Concrete, Capri – Broken Bond with Encaustic Jasper stripping







Rialto Concrete SS5S2611

Elemental Terrazzo

For Amtico Safety, Acoustic and Safety Acoustic solutions see pages 37-39.


Each Elemental Terrazzo has its own coordinating concrete, making zoning and way finding a breeze.

Villa Concrete SS5S2612









Stripping

Add contrast, definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.







Example laid in Uniform Block with stripping

Feature stripping is available in the following sizes:*

3.2 mm x 914.4 mm

6.4 mm x 914.4 mm

9.5 mm x 914.4 mm

*Sizes shown are not actual size

12.7 mm x 914.4 mm		

19.1 mm x 914.4 mm

Dark Walnut	AR0W7700
Woolwich Concrete	AROSRE31
	IN-LIGHTIN
Cirrus Air	AR0W8100
STREET, SQUARE, SQUARE, SQUARE,	2000
Stucco Putty	AR0AUC30
	24 6
Stria Volcanic	AROSMS42
	ACCOUNT OF THE
Deptford Concrete	AROSRE29
Polished Silver**	AROAPL32
Pure Plain Black	AROAPN22


	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO PERSON NAMED
Ashdown Oak	AR0W8680
	S 4806 TO TABLE 1
Wild Walnut	AR0W7620
ATTENDED TO THE PARTY OF THE PA	The state of
Mirabelle Creme	AROSMB14
The second second second second	THE PARTY OF THE
Stria Basalt	AROSMS43
the last of the la	The same of the
Concrete Pale	AROSCN30
	The state of the state of
Modernist Frame	AROAMN30
Polished Copper**	AROAPL45
Polished Gold**	AROAPL78

Acoustic backing is not available on stripping **Straight Grain only

Acoustic



Amtico Acoustic Turn great looking places into great sounding spaces.



18dE

Specify on demand Amtico Acoustic is applied in production, removing the need for additional underlay. It enhances the acoustic properties of Spacia LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of underfoot comfort.

Optional Acoustic backing can be specified on all Spacia products except Heritage Oaks and patterns requiring stripping.

What silence looks like.



Learn how we can solve sound transmission issue in your next project



Clearly superior resistance.

Flooring fit for the future.

Amtico Bio is our first bio-attributed LVT flooring. Made with renewable biomass derived PVC, which saves more than 90% of the CO emissions compared to traditional fossil fuel based

PVC. Amtico Bio offers the same performance and finish with a reduced carbon footprint. We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Spacia is available to specify with 42% bio-attributed content.




Slip resistant planks and tiles.

Made to the same exacting standards as standard Amtico LVT, Amtico Spacia Safety gives you the performance of slip resistant sheet but with the enhanced design possibilities that LVT planks and tiles bring.

Add an extra level of safety to your next project with our high-performance slip resistant flooring.

Specify Amtico Spacia Safety.*



ENHANCED SLIP RESISTANCE

Amtico Antimicrobial protection.

Spacia is specified with integral, antimicrobial protection.*

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive. Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces. This means Amtico Spacia brings an extra level of defence, giving you peace of mind between cleanings.





*All products, except Heritage Oaks, are available in our high-performance Safety flooring and with our antimicrobial protection.


Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

SINCE 188

Explore all the ways to lay Spacia planks and tiles. amtico.com/commercial/collections/amtico-spacia/

Broken Bond




Tiles: 304.8 x 457.2 mm / 12 x 18" 609.6 x 914.4 mm / 24 x 36"



Gallery Concrete SS5S3071

Bonded Stone




Tiles: 304.8 × 304.8 mm / 12 × 12" 457.2 × 457.2 mm / 18 × 18" 914.4 × 914.4 mm / 36 × 36"



Metropolis Ice SS5A2617

Uniform Block




Tiles: 304.8 x 457.2 mm / 12 x 18" 609.6 x 914.4 mm / 24 x 36" 76.2 x 228.6 mm/3 x 9" 101.6 x 457.2 mm/4 x 18" 101.6 x 914.4 mm/4 x 36" 184.2 x 1219.2 mm/7.25 x 48"



Horizon

Uniform Tile



Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18" 914.4 x 914.4 mm / 36 x 36"* *We recommend installing this size tessellated



Kingham Stone SS5S1594


Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.


Explore all the ways to lay Spacia planks and tiles.

amtico.com/commercial/collections/amtico-spacia/

Linear Block




Tiles: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48" 76.2 x 228.6 mm/ 3 x 9" 101.6 x 457.2 mm/ 4 x 18"



Grey Marble with Pure Plain White stripping SS5S2619

Stripwood




Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



New England Oak SS5W2527

Deck Block




Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



Nordic Oak with Stria Volcanic stripping SS5W2550

Wicket



Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



Muted Oak SS5W3312


Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

90 SINCE 1889

Explore all the ways to lay Spacia planks and tiles. amtico.com/commercial/collections/amtico-spacia/

Herringbone Tile




Tile: 609.6 x 914.4 mm / 24 x 36"




Grey Marble with Pure Plain White stripping SS5S2619

Chequerboard




Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18"



White Marble / Black Marble SS5S2618 / SS5S2621

Herringbone Plank




Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48" 304.8 x 457.2 mm / 12 x 18"



New England Oak SS5W2527

Fieldstone




Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18"



Fairford Stone with Stria Basalt stripping SS5S1595

Projects – Aston Villa Football Club



Highlights

gm

Location SINCE 1889
Birmingham, UK

Sector

Hospitality & Leisure
Collection

Amtico Spacia Safety

6,400 sq ft total area



Slip resistance

2

Products used


"The Gas Lamp was an important project for Aston Villa FC, Levy UK and Benchmark, bringing an underused area up to high quality hospitality use. The Amtico Spacia Safety range allowed the flooring to be stylish, functional and cost effective."

Benchmark

View this project on our website



Featured Oak – Large Parquet





Location Herzogenaurach, Germany

Sector

Of fice

Collection

Amtico Spacia

3,300 sq ft total area

Broken Bond Laying pattern

Year commercial warrant y

View this project on our website



Plaza Concrete – Broken Bond Image: www.schmitt-photodesign.de

Projects – Lovat Fields Retirement Village





SINCE 1889

Milton Keynes, UK

Sector

HealthcareCollection

Amtico Spacia

0.55m m

Wear layer

R10

Slip resistance

Parquet

Laying pattern

View this project on our website



Sun Bleached Oak - Stripwood & Parquet

Projects – Smeg



"The showroom's previous floor was not fit for purpose, so durability was a key factor when choosing a replacement. With an established relationship with Amtico on our exhibition displays, we know the quality of the products. By using the Spacia collection in the oak and concrete shades, it really helps to complement Smeg's semi-industrial look."

John Davies, Head of Marketing Smeg UK



Highlights

SINCE 1889

Location SOME Oxfordshire, UK

Sector

Retail

Collection

Amtico Spacia

2 Products used

400

m2 space

2

Laying patterns

View this project on our website



Sun Bleached Oak – Stripwood

Gallery Concrete – Broken Bond



Size & Specifications Single Tiles QGE = Quantum Guard													PQ =	ng P	et	SINC rns
AO = Aluminium Oxid	Ü								+×36")				BDW:	= Board\	walk	
Product Name	Product Code	Finish	Surface Coating	Optional Availability	Stra	ight	t Gra	m E	12 / 8 mm (-	("8	X6."	Grain	PQ Small	PQ Large	BDW	Optional Availabilit
				Optional Availability:			, 3c7) mm colc1 v c /8t		2)	1219.2 mmf5/7225 45/62)mm (18 × 18")	609.6 × 914.4 mm (24 ×		76.2 x 228.6 mm (3 x 9")	101.6 x 457.2 mm (4 x 18")	101.6 x 914,4 mm (4 x 36") 184.2 x 1219.2 mm (7.25 x 48")	
Amalfi	SS5S2609	Ceramic	QG	• • •				>	, . g	× ×	٠					
Black Marble	SS5S2621	Ceramic	E	• • •			٠		×1656.2	184.2 ×			SP106	SP144		• • •
Bronze	SS5A4805	Ceramic	QG	• E A				. 6		ν ω						
Capri	SS5S2610	Ceramic	E	• II A					304.8	•						
Century Concrete	SS5S3069	Ceramic	QG	• E A				٠	3							
Ceramic Dark	SS5S3566	Ceramic	E	• E A												
Ceramic Ecru	SS5S3592	Ceramic	QG	• II A				٠								
Ceramic Flint	SS5S2594	Ceramic	E	• • •				٠								
Ceramic Frost	SS5S1591	Ceramic	QG	• E A												
Ceramic Light	SS5S1565	Ceramic	E	• E A												
Ceramic Sable	SS5S3593	Ceramic	QG	• E A												
Dry Stone Alba	SS5S4401	Ceramic	E	• E A												
Earth	SS5S2637	Ceramic	QG	• E A									SP112	SP150		• = 4
Fairford Stone	SS5S1595	Ceramic	E	• = A												V = -
Gallery Concrete	SS5S3071	Ceramic	QG	• = 4												
Gibson	SS5S2603	Ceramic	E	• = 4						_						
Grey Marble	SS5S2619	Ceramic	QG							-	-		SDIOS	SP146		• = 4
Highball	SS5S2608	Ceramic	E	• • •	-	-							JF 100	JF 170		V L A
Horizon	SS5S2634	Ceramic	QG	• • •						-			SP113	SP151		
Julep	SS5S2606	Ceramic	E	• • •	-			-		_		-	JF 113	JF 131		• = 4
Kingham Stone	SS5S1594	Ceramic	QG	• • •	-					-						
Lichen	SS5S2629	Ceramic	E	• • •	-		٠.	٠					CDIIE	SP153		
Limestone Cool	SS5S1561	Ceramic	QG	• • •	-			٠		•	_		SP115	SP155		• • •
Linear Stone Shale	SS5S3606	Ceramic	E	• • •						_						
Metropolis Ice	SS5A2617	Ceramic	QG	• • •				٠				<u>.</u>				
Metropolis Smoke	SS5A2627	Ceramic	E	• E A					٠							
Mimosa	SS5S2607	Ceramic	QG	• • •				٠								
Mirus Cotton	SS5A6110	Ceramic	E	• E A			٠				•					
Mirus Feather	SS5A6120	Ceramic	QG	• E A												
Mirus Hemp	SS5A6130	Ceramic	E	• E A								•				
Monmouth Slate	SS5S7501	Riven	QG	• E A								.				
Monument Concrete	SS5S3072	Ceramic	E	• E A												
Negroni	SS5S2604	Ceramic	QG	• E A				٠								
Pampas	SS5S2635	Ceramic	E	• E A												
Peak	SS5S2633	Ceramic	QG	• E A									SP110	SP14		• E A
Plaza Concrete	SS5S3070	Ceramic	E	• E A					٠				SP111	8		• E A
Rialto Concrete	SS5S2611	Ceramic	QG	• E A										SP14		
Rose Marble	SS5S2620	Ceramic	E	• • •				٠					SP118	9 P15		• E A
Salt	SS5S2632	Ceramic	QG	• = 4				٠					SP107	6		• = 4
Sea	SS5S2631	Ceramic	E	• = 4									SP117	SP14		• E A
Sidecar	SS5S2605	Ceramic	QG	• = 4				٠					SP114	5		• = A
Snow	SS5S2628	Ceramic	E	• II A										SP155		
Stanton Stone	SS5S1593	Ceramic	QG	• I A									SP116	SP152		• = 4
Ste e l	SS5A2804	Ceramic	E	• • •												
Villa Concrete	SS5S2612	Ceramic	QG	• • •					H	+	+	++	+			
Vista	SS5S2636	Ceramic	E	• = 4						_		++	SP119	SP157		• = 4
White Marble	SS5S2618	Ceramic	QG	• E A	-							++	SP109			• E A
Zinc	SS5A3620	Ceramic	E		-					+	-		SP105			
		-	QG	• • •	-					-		++	15, 105	5. 1.15		• = 4
			20		1								1			

Products bevelled as standard. Please note all sizes and availability are correct at the time of p	ores
Please contact your local sales representative for the latest information.	

QG E

Single Planks QGE = Quantum Guard Eli AO = Aluminium Oxide G = Amtico Acoustic = Amtico Safety = Amtico Safety Acou	Coating							(36")				PQ =	ng P Parque Board		rns
Product Name	Product Code	Surface Textures	Surface Coating	Optional Availability	stra	ight	Grafir	2") mm (4)		3)	₩ X Grain	PQ Small	PQ Large I	BDW	Optional Availabilit
	Couc						184.2 × 1219.2 mm (7.25 ×	-914.4×914.4 mis0(8.68×36/4.8 mm (12.×12") ×457.2 mm/17 v.28") =101.6 x.314.4 mm (4×36")	12 X = 1	84.2×1219.2 mfs(7/228 45/82)mm (18×18")	609.6 × 914.4 mm (24 × 3	76.2 x 228.6 mm (3 x 9")	1.6 x 457.2 mm (4 x 18")	101.6 x 914.4 mm (4 x 36") 184.2 x 1219.2 mm (7.25 x 48")	
Black Walnut	SS5W2534	Tick	QG	• = 4				914.7	4.4	1219.		SP122	5 SP160	<u></u> 2 ∞	• = A
Blackened Spa Wood	SS5W3025	Barnwoo	E	• = A				¥ C Z	*	ζi ×			SP174		• E A
Bleached Elm	SS5W2516	d Tick	QG	• = 4			+	914	\$	8					
Canopy Oak	SS5W1020	Tick	E	• = 4				α)						
Carriage Oak	SS5W3316	Heritage	QG					20%	5						
Coastal Pine	SS5W3029	Barnwoo	E	• • •								SP127	SP165		• = A
Credenza Oak	SS5W3035	d	QG	• • •											
Drift Pine	SS5W3027	Barnwoo	E	• • •	٠										
Dry Cedar	SS5W2535	d	AO	• E A	٠										
Dusky Walnut	SS5W2542	Barnwoo	QG	• • •	٠										
Eden Oak	SS5W1010	d	E	• • •	٠	•									
Estuary Pine Exotic Walnut	SS5W3028	Barnwoo d Tick	QG	• • •	٠										
	SS5W2541	d Tick Tick	E QG	• • •											
Featured Oak	SS5W2533	Barnwoo	E	• • •								SP132 SP133	SP170 SP171		• = A
Forge Oak	SS5W3317	d Tick	QG												
Granary Oak	SS5W3318	Tick /	E							T					
Hampton Oak	SS5W3031	Barnwoo d	QG	• = 4											
Haven Oak	SS5W3033	Heritage	E	• = 4											
Honey Oak	SS5W2504	Heritage	QG	• • •								SP128			• = 4
Iced Oak	SS5W3310	Tick	E	• • •						+		SP129 :			• = A
Limed Wood Natural	SS5W2549	Tick	QG	• • •								3F 104	JF 140		4 4 4
Malthouse Oak	SS5W3315	Tick / Barnwoo	E	V L X	-					+					
Mulled Oak	SS5W3313	Tick	QG	• = 4						+		SP101	SP13		• = A
Muted Oak	SS5W3312	Tick	E	• = 4						H		SP10	7		• = 4
New England Oak	SS5W2527	Heritage	QG							H		2	SP13		7
Noble Oak	SS5W3030	Tick	E	• • •									8		
Nordic Oak	SS5W2550	Tick		• • •	٠								SP159		• • •
Pale Ash	SS5W2518	Tick/	AO AO	• • •									SP162 SP163		• E A
Powdered Oak	SS5W2310	Barnwoo	QG	• = A									SP158		• = 4
Royal Oak	SS5W2530	d Tick	E	• • •		Ė				t		SP103	SP139		• E A
		Barnwoo	QG	•									SP172		• = 4
Rustic Barn Wood Sash Oak	SS5W2513 SS5W3032	Tick	E			٠				+		SP135	SP173		7
Scorched Timber	SS5W3032 SS5W3024	Tick	QG	• • •		٠				+					
		Tick/		• = 4						+					
Sherwood Oak	SS5W2532	Barnwoo	E							H					
Smoked Timber	SS5W2652	Barnwoo	QG	• • •											
Smoothbark Hickory	SS5W2545	d	E	• • •		٠									
Sun Bleached Oak	SS5W2531	Tick	QG	• • •	Ċ	٠				L					
Traditional Oak	SS5W2514	Barnwoo	E	•									SP164		• • •
Urban Salvaged Timber	SS5W3323	d	AO	• • •									SP168 SP169		• • •
Warm Maple	SS5W2502	Tick/	QG E	• • •						T		_	142	SP176	• E A
Washed Salvaged Timber	SS5W3322	Barnwoo	QG	• • •											• E A
Weathered Oak	SS5W2524	d Barnwoo	E	•									SP141	SP175	• E A
White Ash	SS5W2540	d		• E A		٠									
White Maple	SS5W2654	Tick	QG	• E A								SP123	SP161		
White Oak	SS5W2548	Barnwoo	E	• • •	٠										
Worn Ash	SS5W2539	d	QG	• • •	٠										
		Tick /	E	• = A											

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

View our technical information on our website.	□ SIN

Standard Spacia Product									
Details	101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 × 457.2 mm (12 × 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 76.2 x 228.6 mm (3 x 9")	Large Parquet 101.6 × 457.2 mm (4 × 18")
Plank/Tile per Box	27	9	27	18	12	5	8	144	54
M2 per Box	2.5	2	2.5	2.5	2.5	2.78	6.688	2.5	2.5
Weight (kg) per Box	9.14	7.53	8.88	9.13	9.37	11.13	24.41	9.16	9.13
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M2 per Pallet	180	180	180	180	180	111.20	13 3.80	180	180
Weight (kg) per Pallet	676.75	699.31	677.66	676.14	692 .98	476.36	526.70	677.93	676.14

The 4 Heritage Oaks are boxed in 2.25 m2 in 184.2 x 1219.2 mm (7.25 x 48")

Acoustic Spacia Product									
Details	101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4×914.4 mm (36×36")	Small Parquet 228.6 x 76.2 mm (9 x 3")	Large Parquet 457.2 x 101.6 mm (18 x 4")
Plank/Tile per Box	20	6	20	13	9	4	6	108	39
M2 per Box	1.86	1.34	1.86	1.81	1.88	2.23	5.01	1.88	1.81
Weight (kg) per Box	7.24	5.37	7.25	7.05	7.54	9.63	19.84	7.33	7.04
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M2 per Pallet	13 3.92	120.6	13 3.92	130.32	135.36	89.2	100.2	135.36	130.32
Weight (kg) per Pallet	539.95	512 .56	540.86	525.84	561.58	407.10	415.29	546.53	525.44

EXPESSION CLASS	Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.	QB UPEC	Amtico Spacia products have been UPEC classified, therefore conforming to local French certification.
FB	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.	C€	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).
LRQA Casenado Iso 9000	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.	DGNB * Decide Contribut Its Healthigher Connex hazaroids fielding Council	Amtico International GmbH is a member of the DGNB German Sustainable Building Council.
floor	Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.	bsi. 150 140012015 Environmental Management	Our environmental system complies with ISO 14001 and is certified by BSI
ORTHO-PHTHALATE FREE	Amtico Spacia products are manufactured using ortho-phthalate free plasticisers.		Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objectve is to collect and organise the end of life cycle of Amtico products in France.
Se eurofins RAPE COLLEGE GOLD E	Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.	ERFMI.	Amtico International is a member of the European Resilient Flooring Manufacturers' Institute.



amtico

Amtico UK & European Sales Solar Park Southside Solihull, West Midlands B90 4SH, UK +44 (0) 121 745 0800 samples@amtico.com

Amtico Head Office Kingfield Road Coventry CV6 5AA, UK +44 (0) 24 7686 1400 samples@amtico.com

Amtico International Germany Grand Bateau Hammer Straße 17 40219 Düsseldorf Germany +49 (0) 211 361 155 0 info@amtico.de Amtico International France 36 Avenue Hoche 75008 Paris France +33 (0) 155 38 95 70 info@amtico.fr

Amtico International Scandinavia S:t Olofsgatan 11A 753 21 Uppsala Sweden 46 (0) 8 584 233 24 info@amtico.se

Amtico International Sucursal En España Calle Boix Y Morer 6, 2 Derecha 28003 Madrid, Spain +34 (0) 91 335 24 94 info@amtico.es Amtico International Asia Room 905 9/F., OfficePlus @ Wan Chai 303 Hennessy Road, Hong Kong +852 2327 7703 samples@amtico.com

Amtico International Middle East, Africa & India 8th Floor Building Number 2 J&G DMCC, Dubai, UAE +971 (0) 50 192 33 46 samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand Unit 1, 40 Mill Street Yarrabilba 4207 Australia australia.customerservice@amtico.com

amtico.com

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN 13845. Brochure correct at the time of publication.

Click Call Chat Specify Spacia.

THANK YOU



GOOJAR MAL GANPAT RAI PRIVATE LIMITED

DELHI

GMGR House , A-17, B-1 Mohan Cooperative Industrial Estate Mathura Road, New Delhi-110044 **MUMBAI**

Unit No. 7 , Cabin No. 1 , Dev Darshan, Old NagardasRoad Andheri (East), Mumbai-4000694

Mobile Number -+91 9873246663 , 9873246665 E-MAIL- support@gmgrindia.in

DELHI

MUMBAI

BANGALORE

